

SAFETY DATA SHEET

According to Regulation (EC) No453/2010

SDS -IPA(70)-0001

Version 1.1

Revision Date: 30.06.2022

Printing Date: 30.06.2022

www.eamaterials.com

Section 1: IDENTIFICATION OF SUBSTANCE/ MIXTURE AND OF THE COMPANY

1.1 Productidentifier

Product name : Isopropyl Alcohol, 70%

Included product code : IPA(70)006-2.5P, IPA(70)006-3.8P,

IPA(70)006-10P, IPA(70)006-25P

1.2 Relevantidentified uses of the substance or mixture

Identified uses : Laboratory chemicals, Manufacture of substances

Uses advised against : Not applicable

1.3 Details of the supplier of the safety datasheet

Company : EliteAdvancedMaterialsSdnBhd

No 1, Jalan KPK 1/2, Kawasan Perindustrian Kundang, 48020 Rawang, Selangor, Malaysia

E-mail address : enquiry@eamaterials.com

1.4 Emergency telephone number

Emergency : +603-60343766 (Local business hours only)

Date of revision: 30.06.22 Version1.1 Page1of14



Section 2: HAZARDS INDENTIFICATION

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Flammableliquids	Category 2
Eye Irritation	Category 2
Specific target organ toxicity – single exposure	Category 3

2.2 Label elements

<u>Labeling in compliance to Regulation (EC) No. 1272/2008 [CLP/GHS]</u>
<u>Hazard pictograms</u>





GHS02

GHS07

Signal word

Danger

Hazard statement

H225 Highly flammable liquid and vapour

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

Precautionary statements

P210 Keep away from heat/ sparks/open flames/hot surfaces. — No smoking

P240 Ground/bond container and receiving equipment.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing

Storage

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

2.3 Other hazards

Not available

Date of revision: 30.06.22 Version1.1 Page2of14



Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substance

Not applicable

3.2 Mixture

Synonyms : Isopropanol, 70% (v/v)

Formula : C_3H_8O

Molecular Weight : 60.10 g/mol

CAS-No. : 67-63-0

Hazardous components according to Regulation (EC) No 1272/2008

Component	Identity	Classification Code	H-Code	Concentration
Isopropyl Alcohol	CAS-No.: 67-63-0	Flam. Liq. 2	H225	≥ 70 %
Alcohol		Eye Irrit. 2	H319	
		STOT SE 3	H336	
Water	CAS-No.: 7732-18-5	Not classified	d	≤30 %

Section 4: FIRST AID MEASURES

4.1 Description of First Aid measures

General information

Consult a physician. Show this safety data sheet to the doctor in attendance.

If inhaled

If breathed in, move person into fresh air and keep at rest in a position comfortable for breathing. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water for at least 15 minutes. Consult a physician.

Date of revision: 30.06.22 Version1.1 Page**3** of **14**



In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and delayed symptoms and effects

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

4.3 Indication of any immediate medical attention and special treatment

No data available.

Section 5: FIRE FIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media

Foam, Carbon dioxide (CO2), Dry powder.

<u>Unsuitable extinguishing media</u>

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Combustible.

Pay attention to flashback.

Vapours are heavier than air and may spread along floors.

Development of hazardous combustion gases or vapours possible in the event of fire.

Forms explosive mixtures with air at ambient temperatures.

5.3 Advice for fire-fighters

Special protective equipment for firefighters.

In the event of fire, wear self-contained breathing apparatus.

Date of revision: 30.06.22 Version1.1 Page4of14



5.4 Furtherinformation

Remove container from danger zone and cool with water. Prevent fire extinguishing water from contaminating surface water or the ground water system.

Section 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapours, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders: Protective equipment see section 8.

6.2 Environmental precautions

Do not let product enter drains. Risk of explosion.

6.3 Methods and material for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

6.4 Reference to other sections

Indications about waste treatment see section 13.

Section 7: HANDLING AND STORAGE

7.1 Precaution for safe handling

Advice on safe handling

Observe label precautions.

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

Date of revision: 30.06.22 Version1.1 Page **5** of **14**



Hygiene measures

Change contaminated clothing. Wash hands after working with substance.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Protected from light.

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition.

Recommended storage temperature see product label.

7.3 Specific end use

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Component	ACGIH TLV (8 hr)	CAL/OSHA PEL (8 hr)	NIOSH REL (Up to 10 hr)
lsopropyl	TWA: 200 ppm	TWA: 400 ppm	TWA: 400 ppm
alcohol	STEL: 400 ppm	STEL: 500 ppm	STEL: 500 ppm

(OSHA)

8.2 Exposure control

Personal protection measures, such as personal protective equipment

Never eat, drink or smoke during handling the chemical. Ensure that there is adequate ventilation, especially in confined areas.

Eye/ face protection

Face shield and safety glasses is required during handling. Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Discard of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Date of revision: 30.06.22 Version1.1 Page 6 of 14



The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Full contact*

Material: Nitrile rubber

Minimum layer thickness: 0.4 mm Break through time: 480 min

Material tested: Camatril® (KCL 730 / Aldrich Z677442, Size M)

Splash contact*

Material: polychloroprene

Minimum layer thickness: 0.65 mm

Break through time: 120 min

Material tested: Camapren® (KCL 720 / Aldrich Z677388, Size M)

(Merck, 2018; Ver 3.3)

Body protection

Impervious clothing, Flame retardant antistatic protective clothing. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type AXBEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Physical state : Liquid

Color : Colorless
Odor : Alcohol-like

Odor threshold : No data available

pH - value : Neutral at 20 °C

Melting point / Range : No data available

Boiling point / Range : No data available

Date of revision: 30.06.22 Version1.1 Page **7** of **14**



Flash point : ca. 18 °C Method: DIN 51755 Part 1

Evaporation rate : No data available

Explosion limit – LEL : 2 % (V)

Explosion limit - UEL : 13.4 % (V)

Vapour pressure : ca. 42 hPa at 20 °C

Vapor density (air = 1) : No data available

Density : 0.85 g/cm³ at 20 °C

Bulk density : No data available

Solubility(ies) : No data available

Water solubility : Soluble at 20 °C

Partition coefficient: n-octanol/water : log Pow: 0.05

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity : No data available

Explosive properties : No data available

Oxidising properties : No data available

(Merck, 2018; Ver 3.3)

9.2 Other information

Ignition temperature : 425°C - DIN 51795 (2-Propanol)

Section 10: STABILITY AND REACTIVITY

10.1 Reactivity

Vapours may form explosive mixture with air

Formation of peroxides possible

10.2 Chemical stability

Sensitive to light

Sensitive to air

Date of revision: 30.06.22 Version1.1 Page**8** of **14**



10.3 Possibility of hazardous reactions

Risk of ignition or formation of inflammable gases or vapours with: Alkali metals, Alkaline earth metals, chromium (VI) oxide

Exothermic reaction with:

Oxidising agents, nitric acid, aldehydes, amines, fuming sulfuric acid, iron, aluminium, chlorine, phosphorus trichloride, strong acids

Risk of explosion with:

Chlorates, phosgene, organic nitro compounds, hydrogen peroxide, nitrogen oxides, perchlorates

10.4 Conditions to avoid

Accumulation of electrostatic charges, heating, heat, flames and hot surfaces.

10.5 Incompatible materials

various plastics, rubber, oils.

10.6 Hazardous decomposition products

Peroxides.

Section 11: TOXICOLOGY INFORMATION

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - 5045 mg/kg (Rat) LD50 Dermal - 12800 mg/kg (Rabbit) LC50 Inhalation - 37.5 mg/l/4h (Rat)

(Merck, 2018; Ver 3.3)

Skin corrosion/irritation

Skin - Rabbit

Remarks: Not irritating to skin. Repeated exposure may cause skin dryness or cracking. (Merck, 2018; Ver 3.3)

Date of revision: 30.06.22 Version1.1 Page **9** of **14**



Serious eye damage/eye irritation

Eyes - Rabbit

Remarks : Causes serious eye irritation

(Merck, 2018; Ver 3.3)

Respiratory or skin sensitization

Buehler Test - Guinea pig

Result: Negative

(Merck, 2018; Ver 3.3)

Germ cell mutagenicity

In vivo micronucleus test

Mouse (Male & Female)

Result: Negative

In vitro mammalian cell gene mutation test

Result: Negative

(Merck Ver 3.3; 2018)

Carcinogenicity

In animal experiments - No carcinogenic effects

(Merck Ver 3.3; 2018)

Reproductive toxicity

Remarks : Does not impair fertility. Not a developmental toxicant.

(Merck Ver 3.3; 2018)

Specific target organ toxicity – single exposure

Remarks : May cause drowsiness and dizziness.

Date of revision: 30.06.22 Version1.1 Page **10** of **14**



Specific target organ toxicity - repeated exposure

No data available

(Merck, 2018; Ver 3.3)

Aspiration hazard

No data available

(Merck, 2018; Ver 3.3)

Additional Information

After absorption:

Headache, Dizziness, inebriation, Unconsciousness, narcosis

After uptake of large quantities:
respiratory paralysis, Coma
Other dangerous properties cannot be excluded.
Handle in accordance with good industrial hygiene and safety practice

Section 12: ECOLOGY INFORMATION

12.1 Ecotoxicity

Isopropyl alcohol

Toxicity to fish	LC50 -Pimephalespromelas (fathead minnow) - 9640 mg/l - 96 h
Toxicity to daphnia and other aquatic invertebrates	EC50 - Daphnia magna (Water flea) - 13299 mg/l - 48 h
Toxicity to algae	IC50 - Desmodesmussubspicatus (green algae) - 1000 mg/l - 72 h

(Merck, 2018; Ver 3.3)

Date of revision: 30.06.22 Version1.1 Page 11 of 14



12.2 Persistence and degradability

Isopropyl alcohol

Biodegradability	Result: 95 % - 21 d - Readily biodegradable
Theoretical Oxygen Demand (ThOD)	2400 mg/g
Ratio BOD/ ThBOD	BOD5 49 %
Ratio COD/ ThBOD	96 %

(Merck, 2018; Ver 3.3)

12.3 Bioaccumulative potential

<u>Isopropyl alcohol</u>

Partition coefficient: n-octanol/water

Log Pow: 0.05

(Merck, 2018; Ver 3.3)

12.4 Mobility in soil

No data available

12.5 Other adverse effects

Substance does not meet the criteria for PBT or vPvB according to Regulation (EC) No 1907/2006, Annex XIII.

Section 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment method

Product

Waste material must be disposed according to national and local regulations. Keep the chemicals in its specific waste container according to the waste classification.

According to Quality Environment Regulation (Scheduled Waste) 2005, waste need to be sent to designated premise for recycle, treatment or disposal. Offer surplus and non-recyclable solutions to a licensed disposal company.

Date of revision: 30.06.22 Version1.1 Page 12 of 14



Contaminated packaging

Dispose of as unused product.

Section 14: TRANSPORT INFORMATION

14.1 UN number

14.2 UN proper shipping name

ADR/RID:	ISOPROPYL ALCOHOL SOLUTION
IMDG:	ISOPROPYL ALCOHOL SOLUTION
IATA-DGR:	ISOPROPYL ALCOHOL SOLUTION

14.3 Transport hazard class(es)

ADR/RID: 3 IMDG: 3 IATA-DGR: 3

14.4 Packaging group

ADR/RID: II	IMDG: II	IATA-DGR: II
-------------	----------	--------------

14.5 Environmental hazards

ADR/RID: no

14.6 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No data available

14.7 Special precautions for user

No data available

Date of revision: 30.06.22 Version1.1 Page 13 of 14



Section 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This safety datasheet complies with the requirements of Regulation (EC) No. 453/2010.

Section 16: OTHER INFORMATION

This information is based on present level of our knowledge, however, this shall not constitute a guarantee product features and shall not establish a legally valid contractual relationship.

Abbreviations:

ADR: European agreement concerning the international carriage of dangerous goods by road.

IMDG: International Maritime Dangerous Goods.

IATA: International Air Transport Association

ICAO: International Civil Aviation Organization

RID : Regulations concerning the International Carriage of Dangerous goods by rail.

Notice to reader

The information contained in this Safety Data Sheet is based on the present state of knowledge and current national legislation. It provides guidance on health, safety and environmental aspects of the products and should not be construed as any guarantee of technical performance or suitability for particular application.

The information contained in this Safety Data Sheet comes from sources believed to be accurate or otherwise technically correct. However, no representation, warranty or guarantee is made as to its accuracy, reliability or completeness. The users are advised to carry out their own evaluation of the material to determine suitability in their application. We do not accept liability for any loss or damage that may occur from the use of this information nor do we offer warranty against patent infringement.

Date of revision: 30.06.22 Version1.1 Page 14 of 14